IN THE CLAIMS

Please amend the claims as shown in the following listing of claims, which replaces all prior versions and listings of claims in the present application:

1-4. Cancelled.

- 5. (Previously presented) A support according to claim 12 wherein the diamond-like carbon material comprises a resistivity of from about 10⁴ Ohm cm to about 10⁸ Ohm cm.
- 6. (Previously presented) A support according to claim 12 wherein the diamond-like carbon material comprises from about 0.1 atom % to about 10 atom % of a metal additive, whereby the metal additive changes the resistivity of the coating.

7 - 11. Cancelled.

- 12. (Currently amended) A substrate support comprising:
- (a) a ceramic structure having an electrode embedded therein, the electrode being chargeable to electrostatically hold a substrate; and
- (b) a contact surface comprising a plurality of mesas, the mesas comprising a coating of a diamond-like carbon material over a titanium-containing adhesion layer, the diamond-like carbon material comprising a coefficient of friction of less than about 0.3 and a hardness of at least about 8 GPa, whereby the diamond-like coating reduces the abrasion and contamination of substrates that contact the coating.

13. Cancelled.

14. (Original) A support according to claim 12 wherein the coating comprises a thickness of from about 1 to about 20 microns.

Application No: 10/786,876 Page 3 of 10

- 15. (Original) A support according to claim 14 wherein the titanium layer comprises a thickness of from about 0.25 to about 4 microns.
- 16. (Previously presented) A support according to claim 12 wherein the diamond-like carbon material comprises a diamond-like nanocomposite having networks of (i) carbon and hydrogen, and (ii) silicon and oxygen.
 - 17. (Cancel).
- 18. (Previously presented) A support according to claim 12 wherein the diamond-like carbon material comprises a metal additive.
- 19. (Previously presented) A support according to claim 12 wherein the ceramic structure comprises AIN or Al_2O_3 .
- 20. (Previously presented) A support according to claim 12 wherein the diamond-like carbon material is co-deposited with a metal additive by a process combining physical vapor deposition of the metal additive in a plasma enhanced chemical vapor deposition environment.

21-57. (Cancelled).

Application No: 10/786,876 Page 4 of 10

- 58. (Currently amended) A substrate support comprising:
- (a) a ceramic support structure having an electrode embedded therein, the electrode being chargeable to electrostatically hold a substrate; and
- (b) a contact surface comprising a plurality of mesas, the mesas comprising a coating comprising a diamond-like carbon material having a carbon-hydrogen network, the coating having a contact surface comprising a coefficient of friction of less than about 0.3 and a hardness of at least about 8 GPa, whereby the contact surface of the coating is capable of reducing abrasion and contamination of a substrate that contacts the contact surface; and
- (c) a metal-containing adhesion layer between the <u>ceramic</u> support structure <u>dielectric</u> and the coating of the mesas.

59-60. Cancelled.

- 61. (Previously presented) A support according to claim 58 wherein the diamond-like carbon material comprises a diamond-like nanocomposite having networks of (i) carbon and hydrogen, and (ii) silicon and oxygen.
- 62. (Previously presented) A support according to claim 58 wherein the diamond-like carbon material comprises a resistivity of from about 10⁴ Ohm·cm to about 10⁸ Ohm·cm.
- 63. (Previously presented) A support according to claim 62 wherein the diamond-like carbon material comprises from about 0.1 atom % to about 10 atom % of a metal additive, whereby the metal additive changes the resistivity of the coating.

64 -85. Cancelled.